



COFC

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

October 31, 2006

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
NOV 08 2006  
**of Correction**

Re: United States Patent for *Method And Sealant For Joints*  
Application No. 10/657,775; Filed August 29, 2003  
Patent No. 7,090,112; Issued August 15, 2006  
Our File 038190/268368

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Nicholas F. Gallo  
Registration No. 50,135

NFG:mf  
Enclosures

LEGAL02/30138396v1

NOV 09 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,090,112 B2

Page 1 of 1

APPLICATION NO. : 10/657,775

ISSUE DATE : August 15, 2006

INVENTOR(S) : Masingale

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9.

Line 41, "Through" should read --through--;

Line 62, "tat" should read --that--.

Column 10.

Line 2, "tat" should read --that--;

Line 47, "a" should read --the--;

Line 48, "arid" should read --and--;

Line 50, "Laying" should read --faying--;

Line 61, "scaled" should read --sealed--;

Line 64, "arid" should read --and--.

Column 12.

Line 4, "initialing" should read --initiating--;

Line 34, "die" should read --the--;

Line 51, "aluminum1" should read --aluminum,--.

Column 13.

Line 5, "reading" should read --reacting--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

NOV 09 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,090,112 B2

Page 1 of 1

APPLICATION NO. : 10/657,775

ISSUE DATE : August 15, 2006

INVENTOR(S) : Masingale

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Line 41, "Through" should read --through--;

Line 62, "tat" should read --that--.

Column 10,

Line 2, "tat" should read --that--;

Line 47, "a" should read --the--;

Line 48, "arid" should read --and--;

Line 50, "Laying" should read --faying--;

Line 61, "scaled" should read --sealed--;

Line 64, "arid" should read --and--.

Column 12,

Line 4, "initialing" should read --initiating--;

Line 34, "die" should read --the--;

Line 51, "aluminum1" should read --aluminum,--.

Column 13,

Line 5, "reading" should read --reacting--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

NOV 09 2006